



POOL CLEANING PRODUCTS

INDEX

- 01 POOL CLEANERS
- 02 LEAF SKIMMERS
- 03 BRUSHES
- 04 SELF FLOATING HOSE
- 05 TELESCOPIC HANDLES
- 06 THERMOMETERS
- 07 MAINTENANCE KIT
- 08 QUICK' VAC
- 09 CROCODILE ROCK
- 10 QUIRREL PRO
- 11 AUTOMATIC BALANCE TANK
- 12 PEPS
- 13 CHRONO MP3

01 POOL CLEANERS

METAL POOL CLEANER

- Heavy aluminum bottom cleaner.
- Very robust.
- Supplied with wheels, brushes and internal ballast.
- For Ø 38 hose.



| CODE | SIZE | FIXING | | PACKING | WEIGHT | VOLUME |
|-------|------|--------|----------------|---------|--------|----------------|
| | cm | CLIP | Butterfly Nuts | | kg | m ³ |
| C-102 | 33 | • | | 4 | 11.7 | 0.060 |
| C-103 | 45 | • | | 4 | 15.5 | 0.071 |

ALUMINIUM POOL CLEANER

- Vacuum brush with swivel and EZ-Clip
- For Ø 38 hose.



| CODE | SIZE | PACKING | WEIGHT | VOLUME |
|-------|------|---------|--------|----------------|
| | cm | | kg | m ³ |
| C-107 | 14" | 6 | 14.3 | 0.062 |
| C-108 | 18" | 6 | 17.6 | 0.078 |

FLEXIBLE POOL CLEANER

- Made of flexible plastic to adapt to the different shapes and angles of swimming pools.
- Supplied with 8 wheels.
- For Ø 38 hose.
- Fixing: Clip.



| CODE | SIDE BRUSHES | PACKING | WEIGHT | VOLUME |
|-------|--------------|---------|--------|----------------|
| | | | kg | m ³ |
| C-111 | WITH | 12 | 16.1 | 0.05 |
| C-112 | WITHOUT | 12 | 16.1 | 0.05 |

02 LEAF SKIMMERS

- Standard surface leaf skimmer - clip.

| CODE | PACKING | WEIGHT | VOLUME |
|-------|---------|--------|----------------|
| | | kg | m ³ |
| C-142 | 24 | 5.5 | 0.06 |



- Heavy duty surface leaf skimmer - clip.

| CODE | PACKING | WEIGHT | VOLUME |
|-------|---------|--------|----------------|
| | | kg | m ³ |
| C-143 | 12 | 6.5 | 0.11 |



- Standard deep leaf rake - clip.

| CODE | PACKING | WEIGHT | VOLUME |
|-------|---------|--------|----------------|
| | | kg | m ³ |
| C-144 | 24 | 6.5 | 0.08 |



- Standard deep leaf rake - clip.

| CODE | PACKING | WEIGHT | VOLUME |
|-------|---------|--------|----------------|
| | | kg | m ³ |
| C-145 | 12 | 7.5 | 0.11 |



03 BRUSHES

- New deluxe vacuum brush made of plastic - clip.
- To be connected to Ø38 mm vacuum hose.
- Curved wall brush made of plastic 45cm - clip.
- For Ø 38 hose.

| CODE | PACKING | WEIGHT | VOLUME |
|-------|---------|--------|----------------|
| | | kg | m ³ |
| C-120 | 12 | 6 | 0.04 |

- Straight wall brush made of plastic 26cm - clip.

| CODE | PACKING | WEIGHT | VOLUME |
|-------|---------|--------|----------------|
| | | kg | m ³ |
| C-121 | 24 | 9.6 | 0.03 |

- Stainless steel curved algae brush reinforced 45cm - clip.

| CODE | PACKING | WEIGHT | VOLUME |
|-------|---------|--------|----------------|
| | | kg | m ³ |
| C-122 | 12 | 8 | 0.04 |

- Stainless steel straight wall brush 25 cm- clip.

| CODE | PACKING | WEIGHT | VOLUME |
|-------|---------|--------|----------------|
| | | kg | m ³ |
| C-123 | 24 | 12 | 0.03 |



04 SELF FLOATING HOSE

- Made of EVA, UV-resistant.
- Eases manual and automatic pool cleaners handling because of its flexibility.
- Its design enables the hose to keep floating even when full of water and allows the pool cleaner to work freely on the pool floor.
- End fittings included.



| CODE | HOSE | LENGTH | PACKING | WEIGHT | VOLUME |
|-------|------|--------|---------|--------|----------------|
| | | m | | kg | m ³ |
| C-130 | Ø 38 | 10 | 1 | 3.8 | 0.03 |
| C-131 | Ø 38 | 12 | 1 | 4.2 | 0.04 |
| C-132 | Ø 38 | 15 | 1 | 5.5 | 0.06 |
| C-133 | Ø 38 | 30 | 1 | 7.0 | 0.10 |

HOSE CUFF

| CODE | HOSE | PACKING | WEIGHT | VOLUME |
|-------|------|---------|--------|----------------|
| | | | kg | m ³ |
| C-135 | Ø 38 | 12 | 3 | 0.02 |



05 TELESCOPIC HANDLES

- Aluminium, telescopic handle to adapt to pool cleaner, leaf skimmers and brushes.
- Fixing: clip



| CODE | LENGTH | PACKING | WEIGHT | VOLUME |
|-------|-----------------|---------|--------|----------------|
| | m | | kg | m ³ |
| C-141 | 1.50 (3 x 0.50) | 24 | 8 | 0.02 |
| C-137 | 4.80 (2 x 2.40) | 20 | 26 | 0.09 |
| C-138 | 9.00 (3 x 3.00) | 20 | 30 | 0.11 |



06 THERMOMETERS

DIGITAL THERMOMETER

Solar floating digital thermometer with °C and °F scale.



| CODE | PACKING | WEIGHT | VOLUME |
|-------|---------|--------|----------------|
| | | kg | m ³ |
| C-149 | 24 | 3 | 0.02 |

ANIMAL THERMOMETERS

Floating animal thermometer in 4 shapes.



| CODE | PACKING | WEIGHT | VOLUME |
|-------|---------|--------|----------------|
| | | kg | m ³ |
| C-150 | 48 | 6.5 | 0.02 |

07 MAINTENANCE KIT

Maintenance kit consists of:

- Flexible pool Cleaner C-112
- Surface leaf skimmer C-143
- Curved brush C-120
- Test Kit CL-105
- Thermometer C-150



| CODE | PACKING | WEIGHT | VOLUME |
|-------|---------|--------|----------------|
| | | kg | m ³ |
| C-151 | 24 | 3 | 0.02 |

08 QUICK' VAC

Light, easy to handle, with 36A Battery, the Quick' Vac is designed to clean any size of pools without any limitation, cables or electricity, it can clean a 15x15m pool in 15 minutes only.

- Ideal for residential and commercial pools, even small fountains, camping and paddling pools.
- The extraordinary flow of the suction pump allow precise cleaning and increased handiness even in the toughest corners and places.
- The detachable filter retrieves all kinds of impurities in the water, with an elastic system it is very easy to detach and empty.
- Manufactured in reinforced plastic, resistant to UV and high temperatures, anticorrosive parts.
- The trolley is made of painted aluminum, comes with a battery support and allows proper storage of the unit.
- The Quick' Vac special for fountain can vacuums in less than 10cm of water depth. • Transmission: 360° Rotating wheels.
- Filtration type: filter bag 75,105, 250, 1000 microns



| TECHNICAL DATA | QV 100 | QV 200 | QV 300 |
|---------------------|---|----------------------------|----------------------------|
| Width | 40 cm | 40 cm | 110 cm |
| Suction power | 40m ³ /h | 40m ³ /h | 40m ³ /h |
| Trolley/chassis | Painted aluminium /UNBS | Painted aluminium /UNBS | Painted aluminium /UNBS |
| Cable length | 14m | 14m | 21m |
| Weight out of water | 5 kg | 5 kg | 7 kg |
| Pump | 250 m | 250 m | 250 m |
| Filtration (micron) | 75, 100, 250, 1000 | 75, 100, 250, 1000 | 75, 100, 250, 1000 |
| Filtration capacity | 2 kg sand | 4 kg sand | 6 kg sand |
| Autonomy | 3h | 3h | 3h |
| Power supply | 12V battery / Power supply | 12V battery / Power supply | 12V battery / Power supply |
| Minimum water depth | 15 cm | 40 cm | 40 cm |
| HEXA-F-75 | Spare filter bag 75 micron fine filtration | | |
| HEXA-F-105 | Spare filter bag 105 micron classic filtration | | |
| HEXA-F-250 | Spare filter bag 250 micron exterior filtration | | |
| HEXA-F-1000 | Spare filter bag 1000 micron reopen the pool | | |

09 CROCODILE ROCK

- Powerful design,
- Embodying sportiness, dynamism and emotion, for a high-end model. Double ultra filtering large capacity bags



| TECHNICAL DATA | SERIE 1 | SERIE 3 | SERIE 5 NEON | SERIE 8 XD |
|--------------------------------|--------------------|--------------------|--------------------|-------------------------------|
| Mode | Floor | Floor and wall | Floor and wall | Floor and wall |
| Pool length | Up to 15 m | Up to 15 m | Up to 18 m | Up to 18 m |
| Cleaner width | 40 cm | 40 cm | 40 cm | 40 cm |
| Cleaning speed | 10 to 18 m/min | 10 to 18 m/min | 10 to 18 m/min | 10 to 18 m/min |
| Suction power | 23 m³/h | 23 m³/h | 23 m³/h | 23 m³/h |
| Weight out of water / in water | 7.5 kg / 1.5 kg | 9 kg / 2 kg | 9 kg / 2 kg | 9 kg / 2 kg (without battery) |
| Cable length | 16 m | 18 m | 20 m | with battery |
| Trolley | Without | With | With | With |
| Remote control | Without | Without | With | With |
| Filtration capacity | 3.1 kg | 3.1 kg | 3.1 kg | 3.1 kg |
| Power supply | 110V-240V / 24V dc | 110V-240V / 24V dc | 110V-240V / 24V dc | 12 Volts |
| Autonomy / Charge time | - | - | - | 3H (autonomy) / 6H (charge) |
| Brush type | PVC, option PVA | PVC, option PVA | PVC, option PVA | PVC, option PVA |

10 QUIRREL PRO

- High filtration fineness, 100 micron
- Ability to clean pools with islets
- Ultra-light for the user



The ally for outdoor hotel pools



| TECHNICAL DATA | SQUIRREL PRO 100 | SQUIRREL PRO 150 XD | SQUIRREL TWIN 200 |
|--------------------------------|--------------------|-----------------------------|--------------------|
| Mode | Floor and wall | Floor and wall | Floor |
| Pool length | Up to 25 m | Up to 20 m | Up to 20 m |
| Cleaner width | 40 cm | 40 cm | 78 cm |
| Cleaning speed | 10 to 15 m/min | 10 to 15 m/min | 10 to 15 m/min |
| Suction power | 27 m³/h | 27 m³/h | 50 m³/h |
| Weight out of water / in water | 9 kg / 2 kg | 9 kg / 2 kg | 18 kg / 4 kg |
| Cable length | 30 m | with battery | 40 m |
| Trolley | With | With | With |
| Remote control | With | With | With |
| Filtration capacity | 3.1 kg | 3.1 kg | 6.2 kg |
| Power supply | 110V-240V / 24V dc | 12 Voltes | 110V-240V / 24V dc |
| Autonomy / Charge time | - | 3H (autonomy) / 6H (charge) | - |
| Brush type | PVC, option PVA | PVC, option PVA | PVC, option PVA |

11 AUTOMATIC BALANCE TANK

- Innovative automatic cleaning solution
- Much simpler and safer for agents
- Fight against chloramine and sediments
- Permanently stay in balance tank



A robot dedicated to a balance tank



| TECHNICAL DATA | DARK CLEANER |
|--------------------------------|-------------------------------|
| Mode | Balance tank |
| Cleaner width | 40 cm |
| Cleaning speed | 8 m/min |
| Suction power | 30 m³/h |
| Weight out of water / in water | 14 kg / 2 kg |
| Cable length | 16 m (supplied) |
| Trolley | In stainless steel (supplied) |
| Filtration capacity | External |
| IR (detection walls) | 1 |
| Power supply | 110V - 240V / 12V dc |

12 PEPS

"The real professional clean and scrub pool cleaner"

CONSTRUCTION

Class-executive high-strength, aluminum alloy body. The design is reliable to easy to maintain. it will withstand daily use by multiple staff.

PERFORMANCE

The peps pool bottom cleaner is extremely power ful with a professional pump of 37m3/h: largest cleaning capacity on the market (filter can hod up 14 lbs of sand). It has hexatone revolutionary fast rotating brushes stiff bristle and super power suction. This makes it the ideal partner for any swimming pool.

SMART

Equipped with a gyroscopic controller and twin infra-redcaptors, its self-learning automatic mode makes the peps pool bottom clear extremely fast and efficient completing a cycle on a 15m x 10m pool in less than 25 minutes.

Usage a peps pool bottom cleaners Is therefore both easy and efficient. It comes complete with transaction trolley and remote control




| TECHNICAL DATA | PEPS 200 | PEPS 300 |
|--------------------------------|---|---------------------------|
| Pool length | Up to 25 m | 25 to 50 m |
| Cleaner width | 40 cm | 60 cm |
| Cleaning speed | 10 m/min | 12 m/min |
| Suction power | 37 m³/h | 37 m³/h |
| Weight out of water / in water | 14 kg / 2 kg | 17 kg / 2 kg |
| Cable length | 30 m | 40 m / 30 m (in optional) |
| Trolley | In stainless steel | In stainless steel |
| Filtration capacity | 4 kg sand | 6 kg sand |
| IR (detection walls) | 1 | 1 |
| Power supply | 110V - 240V / 12V dc | 110V - 240V / 12V dc |
| HEXA-F-75 | Spare filter bag 75 micron fine filtration | |
| HEXA-F-105 | Spare filter bag 105 micron classic filtration | |
| HEXA-F-250 | Spare filter bag 250 micron exterior filtration | |
| HEXA-F-1000 | Spare filter bag 1000 micron reopen the pool | |

HEXAGONE VACUUM POOL CLEANERS

"Magellan System the most advanced pool cleaner intelligence in the world"

More than 20 000 code lines, 10 000 hours of development and around 7 000 Magellan pool cleaners in use in swimming pools the world over (across 51 countries)



CONTROLLED NAVIGATION

5 Choices of cleaning mode:

- Series gyro sensor for controlled trajectory management
- Travel speed adjustment from 8 to 25 metres/minute
- Independently navigates slopes and curves
- Automatically calculates swimming pool dimensions
- Remote control 8 waterproof and shockproof functions

1. Ultra short cycle, Hexpresso mode

(Only on Visio)

2. Short cycle on parallel pathways

3. Classic cross-shape cycle

4. Long V-mode cycle

5. Very long floor and sidescycle

POOL SHAPES

Multi-format

- From the simplest swimming pool to the most complex
- From 18 to 80 metres
- Resistant up to 20 metres depth

Whatever the shape

Rectangle

L-shape

Free-form

With obstacles

Whatever the pool floor

Flat

Sloping

Hopper pool

Beach-entry

Whatever the lining

Tiled

Stainless steel

Liner

Concrete

DETECTION AND SAFETY FUNCTIONS

10 sensors within the pool cleaner:

Wall, slope, side and virtual wall detectors

Wall detector infrared sensor

Slope sensor angle sensor

Virtual wall algorithm

Obstacle detection intensity sensor

Trajectory management control

Controlled navigation gyroscope

Speed of movement RPM sensor

Straight line management chronometer

Pool cleaner safety management

Lack of water micro-amp sensor

Cable anti-tanglin rotation sensor

Pump & motor intensity Hi/lo electronic sensor

MAN VS MACHINE

Touchscreen interface

- Colour touchscreen, a dynamic and a global first
- Choice between immediate or timed start modes
- Several cleaning modes available
- Command confirmation and advice by loudspeaker
- Easy reading of pool cleaner settings for hassle-free maintenance
- Self-diagnosis and display of potential problems
- Technical instructions and logbook accessible via touchscreen
- Speed can be configured by user
- Bluetooth option for updates and PC or tablet connections

Hexa Connect



Bluetooth

13 CHRONO MP3



“The best-selling public swimming pool cleaner in Europe...”

The Chrono MP3 pool cleaner is available in 3 different casing lengths, 4 cable lengths, 4 types of trolley, a choice of 4 degrees of filtration, 4 types of auto settings and 3 types of brush.



Configure your cleaner to personalise your needs and your budget.

INCREDIBLY EASY TO USE

To place the pool cleaner in the water, take the remote control and guide the cleaner into the pool in the position of your choice.

There is no specific start point (unless so desired). To start, press the immediate start or timed start button and you're away.

To remove from the water, a special handle allows you to take hold of the pool cleaner which only weighs 2.2 kg in the water. Wearing parts (belts, brushes...) can be replaced without the need for tools. For an improved customer experience, the cleaner speaks, confirms the user's preferences and offers simple maintenance advice.



MAXIMUM HYGIENE

With its 50m3/h turbo pump, it vacuums dirt resting on the tiling or inside the seals and grouting. By travelling upwards along the pool side each time it detects a wall, it also removes algae accumulating at the foot of the walls. Thanks to its umbrella-opening filter never again will you have to get your hands dirty when cleaning the filter of hair, body hair, mucous residues, piercings, used bandages...



EASY MAINTENANCE

Setup is included in the purchase of the pool cleaner. From then on, we will configure the vacuum for the pool and organise training for pool professionals on the use and maintenance of the machine. Self-diagnosis is included in every machine.



CONFIGURE YOUR CHRONO MP3

MP3 CASING



MP3 M
Suction: 50m3/h. Weight 22 kg.
Cleaning speed: 10 m/min.



MP3 L
Suction: 50 m3/h. Weight 23 kg.
Cleaning speed: 12 m/min.



MP3 XL
Suction: 50 m3/h. Weight 24 kg.
Cleaning speed: 14 m/min.

CAMERA



Waterproof IP68 camera with 8 leds

AUTO MODES



Magellan Cross
1hr 30mins for 25m
4hrs for 50m



Systematic
45mins for 25m
3hrs for 50m



V-shape
1hr 45mins for 25m
4hrs for 50m



Floor and sides option
4hrs for 25m 9hrs for 50m

CABLE

Free-floating reinforced PVC coating



25m



32m



40m



50m

OPTION



Edges
90° angle - Rounded angle

TROLLEYS



Classic
With dispenser and 2 forks



25-32m Reel
With reel and dustpan



40-50m Reel
With reel and dustpan



Winch trolley
Equipped with winch trolley and winch

FILTERS



20 microns
Very fine filtration



75 micron
Fine filtration



105 microns
Classic filtration



250 microns
Filtration for exteriors



1000 microns
Filtration for return to operation



2nd bare filter tray
Second filtration option

BRUSHES

Sticky floor



PVC
• For M
• For L
• For XL

Normal floor



Mixed
• For M
• For L
• For XL

Slippery floor



PVA
• For M
• For L
• For XL

ACCESSORIES



Remote cabinet



Protective canvas



Saltwater Kit



Level-up



Depth Kit



Liner Kit